

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L22	1	"5862152".PN.	USPAT; USOCR	OR	ON	2005/03/14 12:24
L21	1	"6158032".PN.	USPAT; USOCR	OR	ON	2005/03/14 12:24
L20	1	"6324614".PN.	USPAT; USOCR	OR	ON	2005/03/14 12:24
L19	1	"6324662".PN.	USPAT; USOCR	OR	ON	2005/03/14 12:24
L18	12	((bypass by-pass) near3 (multiplex\$3 mux select\$3) same (scan-in scan-out input output) near3 port) same scan	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 12:08
L17	128	((bypass by-pass) near3 (multiplex\$3 mux select\$3) same (scan-in scan-out input output) near3 port)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 12:08
L16	3	((bypass by-pass) near3 (multiplex\$3 mux select\$3) same (scan-in scan-out) near3 port)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 12:07
L15	272	((bypass by-pass) near3 (multiplex\$3 mux select\$3) same scan)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 12:02
L8	4819	<u>(714/724-729 365/189.03).ccls.</u>	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 12:00
L14	1	"4669061".PN.	USPAT; USOCR	OR	ON	2005/03/14 11:48
L13	1	"5043986".PN.	USPAT; USOCR	OR	ON	2005/03/14 11:47
L12	1	"5323400".PN.	USPAT; USOCR	OR	ON	2005/03/14 11:47
L11	1	"5329533".PN.	USPAT; USOCR	OR	ON	2005/03/14 11:47
L10	5	L5 not L7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 11:35
L7	5	L6 and (bypass\$3 near4 ((periphery peripheral) near4 (element flop port point scan-in scan-out)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 11:35

L5	10	L3 and (bypass\$3 near4 ((periphery peripheral) near4 (element flop port point scan-in scan-out)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 11:35
S8	4518	(714/724-729 365/189.03).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 11:34
L9	1	L8 and L7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 11:34
L6	2516	(select\$3 indentify\$3 identification provid\$3) near5 ((periphery peripheral) near4 (element flop port point scan-in scan-out))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 11:32
L3	10091	(select\$3 indentify\$3 identification provid\$3) same ((periphery peripheral) near4 (element flop port point scan-in scan-out))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 11:32
L4	597	L3 and bypass\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 11:31
L2	2	L1 and ((periphery peripheral) near4 (element flop port point scan-in scan-out))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 11:29
L1	96	("5430687" "5732209" "5574731" "5617427" "5983376" "5574733" "5909453" "6223313" "6223313" "5592493" "5729553" "5754758" "5894482" "5903578" "5978944" "6059836" "6059836" "6611932" "6414175" "5225724" "5781756" RE36292 "5734660" "5719504" "4426485" "6329482" "6370664" "4359733" "5623503" "5193092" "5450414" "5254942" "5396170" "5831992" "5995993" "5349587" "5438353" "5504756" "5668947" "6145105" "6691268" "6237122" "5633606" "6182256" "5867036" "6108805" "6734549" "4303465" "6018815" "6032278").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 11:20
S46	7	S45 and bypass	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/11 16:00

S45	15	(US-20010022743-\$ or US-20020138801-\$ or US-20030079166-\$ or US-20030115522-\$ or US-20030131327-\$ or US-20030149926-\$ or US-20030149949-\$).did. or (US-5504756-\$ or US-5903578-\$ or US-6028983-\$ or US-6191603-\$ or US-6615392-\$ or US-6665828-\$ or US-6701476-\$).did. or (US-20030149926-\$).did.	US-PGPUB; USPAT; DERWENT	OR	ON	2005/03/11 16:00
S9	37	S8 and (((embed\$3 near4 test) or ELT or (hierarchical near4 (BIST or self near2 bist)))) and ((scan near4 (chain or string) or (test near2 structure)) same (bypass or multiplex\$3)) and (test adj access adj port or TAP or boundary near2 scan or "Joint Task Action Group" or JTAG))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/30 15:15
S22	56	(((embed\$3 near4 test) or ELT or (hierarchical near4 (BIST or self near2 bist)))) and ((scan near4 (chain or string) or (test near2 structure)) same (bypass or multiplex\$3)) and (test adj access adj port or TAP or boundary near2 scan or "Joint Task Action Group" or JTAG))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/30 15:13
S7	92	(((device chip circuit) near5 (id identity)) same (test adj access adj port or TAP or boundary near2 scan or "Joint Task Action Group" or JTAG)) same bypass	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/30 15:12
S6	111	(((device chip circuit) near5 (id identity)) same (test adj access adj port or TAP or boundary near2 scan or "Joint Task Action Group" or JTAG)) and bypass	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/30 14:18
S5	402	(((device chip circuit) near5 (id identity)) and (test adj access adj port or TAP or boundary near2 scan or "Joint Task Action Group" or JTAG)) and bypass	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/30 14:18
S4	1366	(((device chip circuit) near5 (id identity)) and (test adj access adj port or TAP or boundary near2 scan or "Joint Task Action Group" or JTAG))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/30 14:17
S3	2	(scandump scan-dump scan adj dump) and (mux mutiplex\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/30 13:46

S2	22	(scandump scan-dump scan adj dump)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/30 13:45
S1	2	(scandump scan-dump scan adj dump) same (scan near2 (chain string))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/30 13:43
S44	16	((concat\$7 (connect near4 seri\$3)) near6 (single or one) near5 (scan near2 (chain string)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/30 13:42
S30	11	((((concat\$7 (connect near6 seri\$3) single) near6 (scan near2 (chain string)) same (bypass\$3 multiplex\$2)))) and hierarch\$6 same test	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/29 16:25
S43	3	"6615392".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/29 14:19
S39	1	"9626877".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/29 14:18
S35	1	"4969148".PN.	US-PGPUB; USPAT	OR	ON	2004/06/29 14:18
S42	0	Marinessen.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/29 12:36
S41	0	Marinessen\$.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/29 12:36
S40	0	"9626877".apn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/29 12:36
S38	0	"09626877".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/29 12:35
S37	2	9626877\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/29 12:34

S36	0	09626877\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/29 12:33
S34	1	"5056094".PN.	US-PGPUB; USPAT	OR	ON	2004/06/29 10:57
S33	1	"5748497".PN.	US-PGPUB; USPAT	OR	ON	2004/06/29 10:57
S32	1	"5889788".PN.	US-PGPUB; USPAT	OR	ON	2004/06/29 10:57
S31	1	"5991909".PN.	US-PGPUB; USPAT	OR	ON	2004/06/29 10:56
S29	64	((concat\$7 (connect near6 seri\$3) single) near6 (scan near2 (chain string)) same (bypass\$3 multiplex\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/29 10:07
S28	9	(logicvision\$.as. and embedded) and scan	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/29 10:02
S27	24	logicvision\$.as. and embedded	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/29 09:53
S26	361944	L97and embedded	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/29 09:52
S25	371351	logicvision\$.as. amd embedded	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/29 09:52
S24	86	logicvision\$.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/29 09:52
S23	2	"6191603".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/28 16:30
S20	152	(((((embed\$3 near4 test) or ELT or (hierarchical near4 (BIST or self near2 bist)))) and (scan near4 (chain or string) or (test near2 structure)) and (test adj access adj port or TAP or boundary near2 scan or "Joint Task Action Group" or JTAG))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/28 16:28

S21	131	(((((embed\$3 near4 test) or ELT or (hierarchical near4 (BIST or self near2 bist)))) and (scan near4 (chain or string) or (test near2 structure)) and (test adj access adj port or TAP or boundary near2 scan or "Joint Task Action Group" or JTAG))) and (bypass or multiplex\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/28 16:27
S14	11	(((((embed\$3 near2 logic near2 test) or ELT or (hierarchical near4 (BIST or self near2 bist)))) and (scan near4 (chain or string)) and (test adj access adj port or TAP or boundary near2 scan))) and (bypass or multiplex\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/28 16:27
S19	129	(((((embed\$3 near4 test) or ELT or (hierarchical near4 (BIST or self near2 bist)))) and (scan near4 (chain or string)) and (test adj access adj port or TAP or boundary near2 scan or "Joint Task Action Group" or JTAG))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/28 16:26
S18	2786	((embed\$3 near4 test) or ELT or (hierarchical near4 (BIST or self near2 bist)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/28 16:25
S17	18	(((((embed\$3 near2 logic near2 test) or ELT or (hierarchical near4 (BIST or self near2 bist)))) and (scan near4 (chain or string)) and (test adj access adj port or TAP or boundary near2 scan or "Joint Task Action Group" or JTAG))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/28 16:25
S10	610	((embed\$3 near2 logic near2 test) or ELT or (hierarchical near4 (BIST or self near2 bist)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/28 16:25
S16	6	(((((embed\$3 near2 logic near2 test) or ELT or (hierarchical near4 (BIST or self near2 bist)))) and ((scan near4 (chain or string)) same (bypass or multiplex\$3)) and (test adj access adj port or TAP or boundary near2 scan or "Joint Task Action Group" or JTAG))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/28 16:17
S13	17	(((((embed\$3 near2 logic near2 test) or ELT or (hierarchical near4 (BIST or self near2 bist)))) and (scan near4 (chain or string)) and (test adj access adj port or TAP or boundary near2 scan))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/28 16:17

S15	5	(((((embed\$3 near2 logic near2 test) or ELT or (hierarchical near4 (BIST or self near2 bist)))) and ((scan near4 (chain or string)) same (bypass or multiplex\$3)) and (test adj access adj port or TAP or boundary near2 scan))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/28 16:15
S12	3	(((((embed\$3 near2 logic near2 test) or ELT or (hierarchical near4 (BIST or self near2 bist)))) and ((scan near4 (chain or string)) and (hierarch\$6 near4 (BIST or self near2 bist)) and (test adj access adj port or TAP)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/28 16:02
S11	1	(((((embed\$3 near2 logic near2 test) or ELT or (hierarchical near4 (BIST or self near2 bist)))) and ((scan near4 (chain or string)) same (hierarch\$6 near4 (BIST or self near2 bist)) and (test adj access adj port or TAP)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/28 15:34

42

PLUS Search Results for S/N 10072342, Searched March 14, 2005

The Patent Linguistics Utility System (PLUS) is a USPTO automated search

ch
system for U.S. Patents from 1971 to the present. PLUS is a
query-by-example search system which produces a list of patents that a
re

most closely related linguistically to the application searched. This
search was prepared by the staff of the Scientific and Technical
Information Center, SIRA.

5430687

5732209

5574731

5617427

5983376

5574733

5909453

6223313

6223313

5592493

5729553

5754758

5894482

5903578

5978944

6059836

6059836

6611932

6414175

5225724

5781756

RE36292

5734660

5719504

4426485

6329482

6370664

4359733

5623503

5193092

5450414

5254942

5396170

5831992

5995993

10072342_LIST

5349587
5438353
5504756
5668947
6145105
6691268
6237122
5633606
6182256
5867036
6108805
6734549
4303465
6018815
6032278